AUTHOR INDEX, VOLUME XXVIII

Alexander, A. E.: see Hibberd, G. E.
Anderson, J. K.: see Bock, L. H.
Angier, D. J., and Turner, D. T.: Graft interpolymers formed by γ-irradiation of methyl methacrylate-natural rubber mixtures, 265
Ashikari, N.: Polymerization and copolymerization of olefins with trialkylboron catalysts, 250
——: Polymerization of vinyl compounds with alkylboron derivatives, 641
Auerbach, I., Miller, W. R., Kuryla, W. C., and Gehman, S. D.: A diffusivity approach for studying polymer structure, 129
Barrer, R. M., and Barrie, J. A.: Sorption and diffusion in ethyl cellulose. Part IV. Water in ethyl cellulose, 377
Barrie, J. A.: see Barrer, R. M.
Baum, B., and Wartman, L. H.: Structure and mechanism of dehydrochlorination of polyvinyl chloride, 537
Bedon, H. D.: see Flory, P. J.
Bengough, W. I.: Velocity coefficients for the polymerization of acrylonitrile, 475
Berkowitz, J. B., Yamin, M., and Fuoss, R. M.: The Flory constants for poly-4-vinylpyridine in ethanol, 69
Bevilacqua, E. M.: Efficiency of TMTD vulcanization, 651
Bevington, J. C., and Toole, J.: Further study of the decomposition of benzoyl peroxide in the presence of styrene, 413
Blades, C. E.: see Buselli, A. J.
Bock, L. H., and Anderson, J. K.: Linear polyesters derived from protocatechuic acid, 121
Brunner, H., Palluel, A. L. L., and Walbridge, D. J.: The preparation and structure of linear polymers from diisopropenylbenzenes, 629
Buchdahl, R.: An interpretation of the strength properties of amorphous polymers below the glass transformation temperature, 239
Bueche, A. M.: see Kilb, R. W.
Bunn, C. W., Cobbold, A. J., and Palmer, R. P.: The fine structure of polytetrafluoroethylene, 365
Burlant, W. J., and Green, D. H.: Radiation induced graft copolymers, 252
Burnett, G. M.: Rate maxima in copolymerization processes, 642
——, and Gersmann, H. R.: Interaction of radicals derived from methyl methacrylate and vinyl acetate, 655
Buselli, A. J., Lindemann, M. K., and Blades, C. E.: A study of chain transfer in homologous vinyl esters, 485
Campbell, T. W.: Polymerization of acrylonitrile by boron trifluoride in amide solvents, 87
Chadwick, C. S., and Neale, S. M.: Isopiestic measurements of electrolyte activity—Sky Blue FF and sodium polymethacrylate, 355
Chiang, R.: Light scattering studies on dilute solutions of polypropylene, 235
Cobbold, A. J.: see Bunn, C. W.
Coleman, L. E., Jr., and Rausch, M. D.: α,β-Unsaturated ketones. II. Copolymerization reactions of *trans*-cinnamoylferrocene, 207
——: see Jones, F. B.
Collins, E.: see Funt, B. L.
Contois, L. E.: see Dulmage, W. J.
Cooper, W.: Copolymers of butadiene and unsaturated acids: Crosslinking by metal oxides, 195
——: Ionic interchange reactions with metal salts of copolymers from butadiene and unsaturated acids, 628
——, and Fielden, M.: Graft polymerization in emulsion using visible and ultraviolet light, 442
Cox, W. P., and Merz, E. H.: Correlation of dynamic and steady flow viscosities, 619
Craig, D., Diller, D., and Rowe, E. H.: The gases evolved during vulcanization, 435
Craubner, H.: see Schulz, G. V.
Curtiss, E. M.: see Murphy, C. B.
Deeley, C. W., Kline, D. E., Sauer, J. A., and Woodward, A. E.: Effect of pile irradiation on the dynamic mechanical properties of polyethylene, 109
Diller, D.: see Craig, D.
Doede, C. M.: see Patrick, R. L.
Downes, J. G., and Mackay, B. H.: Sorption kinetics of water vapor in wool fibers, 45
Doyle, C. D.: see Murphy, C. B.
Dreyfuss, P., and Notley, N. T.: Polymerization of *p*-isopropenylstyrene, 611
Dulmage, W. J., and Contois, L. E., A study of the elastic modulus and extensibility of the crystalline regions in highly oriented polymers, 275
Dunell, B. A.: see Quistwater, J. M. R.
Elias, H.-G., und Ritscher, T. A.: Ein einfaches 2-Kammer-Glasosmometer mit Glasmembran, 648
Erath, E. H., and Spurr, R. A.: X-ray measure of the curing process in a silicone, 233
Fielden, M.: see Cooper, W.
Flory, P. J., Bedon, H. D., and Keefer, E. H.: Melting points and heats of fusion of some polyamides and polyesters, 151
Frankel, M., Rabani, J., and Zilkha, A.: Studies on the low pressure polymerization of ethylene using catalysts containing lithium alkyls, 387

Freund, A. M.: see Hermans, J., Jr.
Fueno, T.: see Furukawa, J.
Fujita, H., and Kishimoto, A.: Diffusion-controlled stress relaxation in polymers. II. Stress relaxation in swollen polymers, 547
——: see Kishimoto, A.
Funt, B. L., and Collins, E.: Non-stationary state kinetic determination of polymer radical lifetimes, 97
——, and ——: Formation of block polymers of butyl acrylate with styrene and vinyl pyridine, 359
Fuoss, R. M.: see Berkowitz, J. B.
Furukawa, J., and Tsuruta, T.: Oxygen compounds as cocatalyst for triethylboron-catalyzed vinyl polymerization, 227
——, ——, and Fueno, T.: Diethylcadmium as an initiator for vinyl polymerization, 234
——, ——, Saegusa, T., Onishi, A., Kawasaki, A., and Fueno, T.: A new catalyst for stereospecific polymerization of diolefins, 450
Furuya, S., and Honda, M.: Specific volume of molten poly-(chlorotrifluoroethylene), 232
Gehman, S. D.: see Auerbach, I.
Gent, A. N.: Crystallization in natural rubber. V. Chemically modified rubber, 257
——, and Thomas, A. G.: Forms for the stored (strain) energy function for vulcanized rubber, 625
Gersmann, H. R.: see Burnett, G. M.
Green, D. H.: see Burlant, W. J.
Guenther, F. O.: see Sprung, M. M.
Hart, R., and Timmerman, D.: New polyampholytes: The polysulfobetaines, 638
Hawkins, W. L., Lanza, V. L., Loeffler, B. B., Matreyek, W., and Winslow, F. H.: New thermal antioxidants for polyethylene, 439
Hawkins, S. W., and Smith, H.: The fractionation of polyethylene, 341
Hearle, J. W. S.: A fringed fibril theory of structure in crystalline polymers, 432
Hermans, J., Jr., and Freund, A. M.: La dégradation thermique de l'acide desoxyribo nucléique (ADN), 229
Herrmann, D. B.: see Lanza, V. L.
Heuser, G.: see Kämmerer, H.
Hibberd, G. E., and Alexander, A. E.: Monolayers of isotactic polypropylene oxide, 455
Higgins, H. G.: The degradation of cellulose in air at 250°C. as shown by infrared spectroscopic examination, 645
Hoffman, J. D., and Weeks, J. J.: The specific volume and degree of crystallinity of poly-(chlorotrifluoroethylene), 472
Holt, T.: see Simpson, W.
Honda, M.: see Furuya, S.
Hope, H. R.: see Rowen, J. W.
Hopkins, I. L.: Stress relaxation or creep of linear viscoelastic substances under varying temperature, 631
Hunter, W. L.: see Levi, D. W.
Ichimiya, T.: see Matsumae, K.
Imai, K.: see Matsumoto, M.
Ingberman, A. K., and Walton, R. K.: Low toxicity aliphatic amines as cross-linking agents for polyepoxy resins, 468
Jensen, P. W.: The determination of apparent second-order transition temperatures of polymers, 635
Jones, F. B., and Coleman, L. E., Jr.: Copolymerization experiments with some unusual fluorine-containing monomers, 242
Kämmerer, H., Kern, W., und Heuser, G.: Molekulargewichtsverteilungen in Polykondensaten aus 2.6-Dioxymethyl-4-methylphenol (Polyoxybenzyl-äthern). Osmotische Molekulargewichtsbestimmungen unter einem Molekulargewicht von 20000 mit einem modifizierten Heppschen Osmometer, 331
Kawasaki, A.: see Furukawa, J.
Kazusa, Y.: see Matsumoto, M.
Keefer, E. H.: see Flory, P. J.
Kelley, D. J.: see Tobolsky, A. V.
Kerker, M.: Particle size in monodisperse latex suspensions by light scattering, 429
Kern, W.: see Kämmerer, H.
Kilb, R. W., and Bueche, A. M.: Solution and fractionation properties of graft polymers, 285
Kishimoto, A., and Fujita, H.: Diffusion-controlled stress relaxation in polymers. III. Stress relaxation in a swelling polymer, 569
——: see Fujita, H.
Kittrick, J. A.: Electron microscope observations on several freeze-dried macromolecular systems, 247
Kline, D. E.: see Deeley, C. W.
Kohan, M. I.: see Lindegren, C. R.
Krigbaum, W. R.: Estimating the unperturbed dimensions of polymer molecules, 213
—— and Trementozzi, Q. A.: Use of the second virial coefficient to estimate chain branching, 295
Kuryla, W. C.: see Auerbach, I.
Lanza, V. L., and Herrmann, D. B.: The density dependence of the dielectric constant of polyethylene, 622
——: see Hawkins, W. L.
Levi, D. W., Scherer, P. C., Hunter, W. L., and Washimi, K.: Solvation of polyvinyl alcohol in solvent-nonsolvent mixtures, 537
Levine, M., and Temin, S. C.: Properties of polyesters of bisphenols and dicarboxylic acids, 179
Lindegren, C. R., and Kohan, M. I.: Control of spherulitic texture in nylon 66, 615
Lindemann, M. K.: see Buselli, A. J.
Loeffler, B. B.: see Hawkins, W. L.
Mackay, B. H.: see Downes, J. G.
Matreyek, W.: see Hawkins, W. L.
Matsumae, K., Watanabe, M., Nishioka, A., and Ichimiya, T.: Viscosity and elasticity of gamma-irradiated poly-

tetrafluoroethylene resin above the melting point, 653
Matsumoto, M., Imai, K., and Kazusa, Y.: Ultraviolet spectra of polyvinyl alcohol, 426
Merz, E. H.: see Cox, W. P.
Mesrobian, R. B.: see O'Donnell, J. T.
Miller, W. R.: see Auerbach, I.
Miyake, A.: On the theory of nuclear magnetic resonance in polymers, 476
Montgomery, E. M., and Senti, F. R.: Separation of amylose from amylopectin of starch by an extraction-sedimentation procedure, 1
Mostafa, M. A. K.: Degradation of addition polymers by ultrasonic waves. III. Experimental, 499. IV. Effect of ultrasonic intensity, 519
Murphy, C. B., Palm, J. A., Doyle, C. D., and Curtiss, E. M.: Differential thermal analysis of resins, 447; II, 453
Mussa I.V., C.: An evaluation of molecular weight distribution in high pressure polyethylene, 587
Nakane, R.: Spherulite growth of high density polyethylene, 456
Neale, S. M.: see Chadwick, C. S.
Nishioka, A., Tajima, M., and Owaki, M.: Melting fracture and crystallization in gamma initiated polytetrafluoroethylene resin, 617
Nitta, I.: see Tadokoro, H.
Notley, N. T.: see Dreyfuss, P.
O'Donnell, J. T., Mesrobian, R. B., and Woodward, A. E.: Vinyl acetate emulsion polymerization, 171
O'Driscoll, K. F.: see Tobolsky, A. V.
Onishi, A.: see Furukawa, J.
Ooi, T.: Light scattering from multicomponent systems, 459
Owaki, M.: see Nishioka, A.
Palluel, A. L. L.: see Brunner, H.
Palm, J. A.: see Murphy, C. B.
Palmer, R. P.: see Bunn, C. W.
Patrick, R. L., Vaughan, W. A., and Doede, C. M.: The ultracentrifuge as an instrument for testing adhesion, 11
Peterson, G. H.: Sorption of water by vinyl polymers, 458
Quistwater, J. M. R., and Dunell, B. A.: Dynamic mechanical properties of nylon 66 and the plasticizing effect of water vapor on nylon, 309
Rabani, J.: see Frankel, M.
Rausch, M. D.: see Coleman, L. E., Jr.
Ritscher, T. A.: see Elias, H.-G.
Rogers, C. E.: see Tobolsky, A. V.
Rowe, E. H.: see Craig, D.
Rowen, J. W., and Hope, H. R.: Dielectric increment at microwave frequencies, 225
Rybníkář, F.: Glass transition of nylon 6 and nylon 66, 633
Saegusa, T.: see Furukawa, J.
Sakajiri, S.: The transition of polyethylene terephthalate fiber birefringence, 452
Sauer, J. A.: see Deeley, C. W.
Scherer, P. C.: see Levi, D. W.
Schulz, G. V., und Craubner, H.: Über die Abhängigkeit des zweiten Virialkoeffizienten vom Molekulargewicht, 462
Schurz, J.: Discoloration effects in acrylonitrile polymers, 438
Seki, S.: see Tadokoro, H.
Senti, F. R.: see Montgomery, E. M.
Shashoua, V. E., and Van Holde, K. E.: Graft copolymers: Synthesis and characterization, 395
Simpson, W., and Holt, T.: The effect of catalyst on physical properties of polyallyl esters, 445
Small, P. A.: A simple melt-viscometer for very high viscosities, 223
Smith, H.: see Hawkins, S. W.
Sprung, M. M., and Guenther, F. O.: The hydrolysis of *n*-amyltriethoxysilane and phenyltriethoxysilane, 17
Spurr, R. A.: see Erath, E. H.
Stannett, V.: see Thornton, E. R.
Statton, W. O.: Higher order of long-period x-ray diffraction in polyethylene fibers, 423
Stein, R. S.: The determination of the stiffness of the chain of a rubber-like polymer, 83
Szwarc, M.: see Thornton, E. R.
Tadokoro, H., Seki, S., Nitta, I., and Yamadera, R.: X-ray and infrared-microspectroscopic measurements on a highly double-oriented specimen of polyvinyl alcohol, 244
Tajima, M.: see Nishioka, A.
Takemura, T.: Viscoelastic properties of concentrated polymer solutions, 185
Tarkow, H.: The surface tension of viscous polymers, 35
Temin, S. C.: see Levine, M.
Terenzi, J. F.: see Trifan, D. S.
Thomas, A. G.: see Gent, A. N.
Thornton, E. R., Stannett, V., and Szwarc, M.: The permeation of vapors and liquids through polymer films, 465
Timmerman, D.: see Hart, R.
Tobolsky, A. V., Kelley, D. J., O'Driscoll, K. F., and Rogers, C. E.: Directed anionic polymerization, 425
Toole, J.: see Bevington, J. C.
Trementozzi, Q. A.: see Krigbaum, W. R.
Trifan, D. S., and Terenzi, J. F.: Extents of hydrogen bonding in polyamides and polyurethanes, 443
Trinler, W. A.: see Wiley, R. H.
Tsuruta, T.: see Furukawa, J.
Turner, D. T.: see Angier, D. J.
Van Holde, K. E.: see Shashoua, V. E.
Vaughan, W. A.: see Patrick, R. L.
Walbridge, D. J.: see Brunner, H.
Walton, R. K.: see Ingberman, A. K.
Wartman, L. H.: see Baum, B.
Washimi, K.: see Levi, D. W.
Watanabe, M.: see Matsumae, K.
Weeks, J. J.: see Hoffman, J. D.
Wiley, R. H., and Trinler, W. A.: Sulfostyrenes. Reactivity ratios for the copolymerization of styrene with potassium *p*-vinylbenzenesulfonate and with *p*-sulfoamidostyrene, 163

Winslow, F. H.: see Hawkins, W. L.
Wood, L. A.: Glass transition temperatures of copolymers, 319
Woodward, A. E.: see Deeley, C. W.
——: see O'Donnell, J. T.
Yamadera, R.: see Tadokoro, H.
Yamin, M.: see Berkowitz, J. B.
Zilkha, A.: see Frankel, M.

SUBJECT INDEX, VOLUME XXVIII

Acids, unsaturated, copolymers with butadiene, 195
Acrylonitrile, polymerization, 87
velocity coefficients for polymerization, 475
Acrylonitrile polymers, discoloration effects, 438
Addition polymers, degradation by ultrasonic waves, 499, 519
Adhesion, testing with the ultracentrifuge, 11
Amines, aliphatic, as crosslinking agents for polyepoxy resins, 468
Amorphous polymers, strength properties, 239
Amylose, separation from amylopectin of starch, 1
n-Amyltriethoxysilane, hydrolysis, 17
Anionic polymerization, directed, 425
Antioxidants, thermal, for polyethylene, 439
Benzoyl peroxide, decomposition, 413
Block polymers, from butyl acrylate with styrene and vinyl pyridine, 359
Butadiene, copolymers with unsaturated acids, 195, 628
Butyl acrylate, block polymers with styrene and vinyl pyridine, 359
Catalysts, alkylboron for vinyl polymerization, 641
boron trifluoride for acrylonitrile, 87
effect on physical properties of polyallyl ester, 445
lithium alkyls for ethylene polymerization, 387
oxygen compounds for vinyl polymerization, 227
for stereospecific polymerization of diolefins, 450
trialkylboron for olefin polymerization, 250
triethylboron for vinyl polymerization, 227
Cellulose, degradation, 645
Chain branching, estimation by second virial coefficient, 295
Chain transfer, in vinyl esters, 485
trans-Cinnamoylferrocene, copolymerization reactions, 207
Crystallization, γ-initiated polytetrafluoroethylene resin, 617
natural rubber, 257
Degradation, addition polymers by ultrasonic waves, 499, 519
cellulose, 645
thermal, of deoxyribonucleic acid, 229
Deoxyribonucleic acid, thermal degradation, 229
Dielectric constant, polyethylene, 622
Dielectric increment, at microwave frequencies, 225
Diffusion, for studying polymer structure, 129
Di-isopropenylbenzenes, linear polymers from, 629
Diolefins, catalyst for stereospecific polymerization, 450
Dynamic mechanical properties, effect of pile irradiation of polyethylene, 109
nylon 66, 309
Elasticity, γ-irradiated polytetrafluoroethylene resin, 653
Elastic modulus, crystalline regions, 275
Electrolyte activity, isopiestic measurements, 355
Electron microscope, for observation of freeze-dried macromolecular systems, 247
Emulsion polymerization, vinyl acetate, 171
Ethyl cellulose, sorption and diffusion in, 377
Ethylene, polymerization with lithium alkyl catalysts, 387
Films, permeation of vapors and liquids through, 465
Flory constants, poly-4-vinylpyridine in ethanol, 69
Fluorine-containing monomers, copolymerization, 242
Fringed fibril theory, crystalline polymer structure, 432
Glass transition temperatures, copolymers, 319
nylon 6 and 66, 633
Graft copolymers, radiation induced, 252
synthesis and characterization, 395
Graft interpolymers, from γ-irradiation of methyl methacrylate and natural rubber, 265
Graft polymerization, in emulsion using visible and ultraviolet light, 442
Graft polymers, solution and fractionation properties, 285
Hydrogen bonding, extent in polyamides and polyurethanes, 443
Infrared microspectroscopy, for measurements on polyvinyl alcohol, 244
Infrared spectroscopy, and cellulose degradation, 645
Initiator, diethylcadmium for vinyl polymerization, 234
Ionic interchange reactions, 628
Irradiation, effect on dynamic mechanical properties of polyethylene, 109
γ-Irradiation, to form interpolymers of methyl methacrylate and natural rubber, 265
polytetrafluoroethylene resin, 617

Isopiestic measurements, electrolyte activity, 355
p-Isopropenylstyrene, polymerization, 611
Ketones, α,β-unsaturated, 207
Kinetics, non-stationary state of polymer radicals, 97
sorption, of water vapor in wool, 45
Light scattering, multi-component systems, 459
for particle size in monodisperse latex suspensions, 429
polypropylene, 235
Metal oxides, crosslinking by, 195
Methyl methacrylate, graft interpolymers with natural rubber, 265
interaction of radicals with vinyl acetate radicals, 653
Molecular weight, and second virial coefficient, 462
Molecular weight distribution, 2,6-dioxymethyl-4-methylphenol, 331
polyethylene, 587
Nuclear magnetic resonance, theory, 476
Nylon, plasticizing effect of water vapor on, 309
Nylon 6 and 66, glass transition temperature, 633
Nylon 66, control of spherulitic texture, 615
dynamic mechanical properties, 309
Olefins, polymerization and copolymerization with trialkylboron catalysts, 250
Osmometer, glass-chambered, 648
modified, 331
Oxygen compounds, as cocatalysts for vinyl polymerization, 227
Particle size, in monodisperse latex suspensions, 429
Phenyltriethoxysilane, hydrolysis, 17
Polyallyl esters, effect of catalyst on physical properties, 445
Polyamides, extent of hydrogen bonding in, 443
melting points and heats of fusion, 151
Polyampholytes, 638
Polychlorofluoroethylene, specific volume, 232
Polychlorotrifluoroethylene, specific volume and degree of crystallinity, 472
Polyepoxy resins, aliphatic amines as crosslinking agents for, 468
Polyesters, of bisphenols and dicarboxylic acids, properties, 179
linear, from protocatechuic acid, 121
melting points and heats of fusion, 151
Polyethylene, density dependence of dielectric constant, 622
effect of pile irradiation on dynamic mechanical properties, 109
fractionation, 341
molecular weight distribution, 587
spherulite growth, 456
thermal antioxidants for, 439
Polyethylene fibers, x-ray diffraction, 423
Polyethylene terephthalate fiber, birefringence, 452
Polypropylene, light scattering studies, 235
Polypropylene oxide, isotactic, monolayers of, 455
Polysulfobetaines, 638
Polytetrafluoroethylene, fine structure of, 365
Polytetrafluoroethylene resin, γ-irradiated, melting fracture and crystallization, 617
viscosity and elasticity, 653
Polyurethanes, extent of hydrogen bonding in, 443
Polyvinyl alcohol, solvation, 403
ultraviolet spectra, 426
x-ray and infrared microspectroscopic measurements, 244
Polyvinyl chloride, dehydrochlorination, 537
Poly-4-vinylpyridine, Flory constants, 69
Protocatechuic acid, linear polyesters from, 121
Radiation, for graft copolymers, 252
Radicals, lifetimes determination by non-stationary state kinetics, 97
from methyl methacrylate and vinyl acetate, 653
Rate maxima, copolymerization processes, 642
Resins, differential thermal analysis, 447, 453
polyepoxy, aliphatic amines as crosslinking agents for, 468
Rubber, natural, crystallization in, 257
natural, graft interpolymers with methyl methacrylate, 265
vulcanized, stored energy function, 625
Second virial coefficients, for estimation of chain branching, 295
and molecular weight, 462
Silicone, x-ray measurement of curing process, 233
Sorption, of water by vinyl polymers, 458
Stiffness, rubber-like polymer chain, 83
Stress relaxation, diffusion-controlled, 547, 569
viscoelastic substances, 631
Structure, use of diffusion for studying, 129
Styrene, block polymers with butyl acrylate, 359
copolymerization with potassium *p*-vinylbenzenesulfonate and with *p*-sulfoamidostyrene, 163
Sulfostyrenes, 163
Surface tension, viscous polymers, 35
Transition temperatures, second-order, determination, 635
Ultracentrifuge, for testing adhesion, 11
Ultrasonic waves, and degradation of addition polymers, 499, 519
Ultraviolet light, for graft polymerization in emulsion, 442
Ultraviolet spectra, polyvinyl alcohol, 426
Unperturbed dimensions, estimation for polymer molecules, 213
Velocity coefficients, acrylonitrile polymerization, 475
Vinyl acetate, emulsion polymerization, 171

Vinyl acetate (*continued*)
interaction of radicals with methyl methacrylate radicals, 654
Vinyl compounds, polymerization with alkylboron derivatives, 641
Vinyl esters, chain transfer in, 485
Vinyl polymerization, diethylcadmium as initiator, 234
with oxygen compounds and triethylboron as cocatalysts, 227
Vinyl polymers, sorption of water, 458
Vinyl pyridine, block polymers with butyl acrylate, 359
Viscoelastic properties, concentrated polymer solutions, 185
Viscoelastic substances, stress relaxation, 631
Viscometer, for very high viscosities, 223
Viscosity, dynamic and steady flow correlation, 619
γ-irradiated polytetrafluoroethylene resin, 653
Vulcanization, gases evolved during, 435
tetramethylthiuram disulfide efficiency, 651
Wool, sorption kinetics of water vapor in, 45
X-ray, for measurements on polyvinyl alcohol, 244
for measuring curing process in a silicone, 233
X-ray diffraction, polyethylene fibers, 423

Journal of
POLYMER SCIENCE

VOLUME XXVIII • 1958

Editorial Board:
P. M. DOTY • R. M. FUOSS • H. MARK • C. G. OVERBERGER • G. SMETS

Advisory Board:

T. ALFREY, JR. *Midland, Mich.*
P. D. BARTLETT *Cambridge, Mass.*
H. BENOIT *Strasbourg*
E. R. BLOUT *Cambridge, Mass.*
J. W. BREITENBACH *Vienna*
C. W. BUNN *Welwyn Garden City*
G. M. BURNETT *Aberdeen*
S. CLAESSON *Uppsala*
F. S. DAINTON *Leeds*
P. DEBYE *Ithaca, N. Y.*
P. J. FLORY *Ithaca, N. Y.*
G. GEE *Welwyn Garden City*
A. KATCHALSKY *Rehovot*
G. M. KLINE *Washington, D. C.*
I. M. KOLTHOFF *Minneapolis, Minn.*
W. KUHN *Basel*
M. MAGAT *Paris*
C. S. MARVEL *Urbana, Ill.*
H. W. MELVILLE *Birmingham*
G. NATTA *Milan*
A. PETERLIN *Ljubljana*
C. C. PRICE *Philadelphia, Pa.*
CH. SADRON *Strasbourg*
G. V. SCHULZ *Mainz*
H. M. SPURLIN *Wilmington, Del.*
A. J. STAVERMAN *Delft*
W. H. STOCKMAYER *Cambridge, Mass.*
A. V. TOBOLSKY *Princeton, N. J.*
K. UEBERREITER *Berlin*
B. H. ZIMM *Schenectady, N. Y.*

INTERSCIENCE PUBLISHERS, INC.

Copyright © 1958, by Interscience Publishers, Inc.

CONTENTS

Vol. XXVIII, Issue Nos. 116–118, 1958

Journal of Polymer Science

ISSUE NO. 116, FEBRUARY

EDNA M. MONTGOMERY and F. R. SENTI: Separation of Amylose from Amylopectin of Starch by an Extraction-Sedimentation Procedure 1

R. L. PATRICK, W. A. VAUGHAN, and C. M. DOEDE: The Ultracentrifuge as an Instrument for Testing Adhesion 11

M. M. SPRUNG and F. O. GUENTHER: The Hydrolysis of *n*-Amyltriethoxysilane and Phenyltriethoxysilane 17

HAROLD TARKOW: The Surface Tension of Viscous Polymers 35

J. G. DOWNES and B. H. MACKAY: Sorption Kinetics of Water Vapor in Wool Fibers 45

JOAN B. BERKOWITZ, MICHAEL YAMIN, and RAYMOND M. FUOSS: The Flory Constants for Poly-4-vinylpyridine in Ethanol 69

RICHARD S. STEIN: The Determination of the Stiffness of the Chain of a Rubber-Like Polymer 83

TOD W. CAMPBELL: Polymerization of Acrylonitrile by Boron Trifluoride in Amide Solvents 87

B. LIONEL FUNT and EDWARD COLLINS: Non-Stationary State Kinetic Determination of Polymer Radical Lifetimes 97

C. W. DEELEY, D. E. KLINE, J. A. SAUER, and A. E. WOODWARD: Effect of Pile Irradiation on the Dynamic Mechanical Properties of Polyethylene 109

LOUIS H. BOCK and JAMES K. ANDERSON: Linear Polyesters Derived from Protocatechuic Acid 121

I. AUERBACH, W. R. MILLER, W. C. KURYLA, and S. D. GEHMAN: A Diffusivity Approach for Studying Polymer Structure 129

PAUL J. FLORY, HELEN D. BEDON, and EDWARD H. KEEFER: Melting Points and Heats of Fusion of Some Polyamides and Polyesters 151

RICHARD H. WILEY and W. A. TRINLER: Sulfostyrenes. Reactivity Ratios for the Copolymerization of Styrene with Potassium *p*-Vinylbenzenesulfonate and with *p*-Sulfoamidostyrene 163

J. T. O'DONNELL, R. B. MESROBIAN, and A. E. WOODWARD: Vinyl Acetate Emulsion Polymerization 171

MAX LEVINE and SAMUEL C. TEMIN: Properties of Polyesters of Bisphenols and Dicarboxylic Acids 179

TETUO TAKEMURA: Viscoelastic Properties of Concentrated Polymer Solutions 185

W. COOPER: Copolymers of Butadiene and Unsaturated Acids: Crosslinking by Metal Oxides 195

L. E. Coleman, Jr., and M. D. Rausch: α,β-Unsaturated Ketones. II. Copolymerization Reactions of *trans*-Cinnamoylferrocene.. 207
W. R. Krigbaum: Estimating the Unperturbed Dimensions of Polymer Molecules.... 213

LETTERS TO THE EDITORS

P. A. Small: A Simple Melt-Viscometer for Very High Viscosities 223
John W. Rowen and Herbert R. Hope: Dielectric Increment at Microwave Frequencies.... 225
Junji Furukawa and Teiji Tsuruta: Oxygen Compounds as Cocatalysts for Triethylboron-Catalyzed Vinyl Polymerization.. 227
J. Hermans, Jr., et Anne Marie Freund: La dégradation thermique de l'Acide Desoxyribo Nucléique (ADN).... 229
Susumu Furuya and Masakazu Honda: Specific Volume of Molten Poly-(chlorotrifluoroethylene).... 232
Edward H. Erath and Robert A. Spurr: X-Ray Measure of the Curing Process in a Silicone.... 233
Junji Furukawa, Teiji Tsuruta, and Takayuki Fueno: Diethylcadmium as an Initiator for Vinyl Polymerization.... 234
Robert Chiang: Light Scattering Studies on Dilute Solutions of Polypropylene.... 235
R. Buchdahl: An Interpretation of the Strength Properties of Amorphous Polymers Below the Glass Transformation Temperature.... 239
F. B. Jones and L. E. Coleman, Jr.: Copolymerization Experiments with Some Unusual Fluorine-Containing Monomers.... 242
Hiroyuki Tadokoro, Syûzô Seki, Isamu Nitta, and Reizô Yamadera: X-Ray and Infrared-Microspectroscopic Measurements on a Highly Double-Oriented Specimen of Polyvinyl Alcohol.... 244
J. A. Kittrick: Electron Microscope Observations on Several Freeze-Dried Macromolecular Systems.... 247
Nobuyuki Ashikari: Polymerization and Copolymerization of Olefins with Trialkylboron Catalysts.... 250
W. J. Burlant and D. H. Green: Radiation Induced Graft Copolymers.... 252

Issue No. 117, March

A. N. Gent: Crystallization in Natural Rubber. V. Chemically Modified Rubber.... 257
D. J. Angier and D. T. Turner: Graft Interpolymers Formed by γ-Irradiation of Methyl Methacrylate-Natural Rubber Mixtures 265
W. J. Dulmage and L. E. Contois: A Study of the Elastic Modulus and Extensibility of the Crystalline Regions in Highly Oriented Polymers.... 275
R. W. Kilb and A. M. Bueche: Solution and Fractionation Properties of Graft Polymers.... 285
W. R. Krigbaum and Q. A. Trementozzi: Use of the Second Virial Coefficient to Estimate Chain Branching.... 295
J. M. R. Quistwater and B. A. Dunell: Dynamic Mechanical Properties of Nylon 66 and the Plasticizing Effect of Water Vapor on Nylon.... 309
Lawrence A. Wood: Glass Transition Temperatures of Copolymers 319

H. KÄMMERER, W. KERN, und G. HEUSER: Molekulargewichtsverteilungen in Polykondensaten aus 2.6-Dioxymethyl-4-methylphenol (Polyoxybenzyläthern). Osmotische Molekulargewichtsbestimmungen unter einem Molekulargewicht von 20000 mit einem modifizierten Heppschen Osmometer 331
S. W. HAWKINS and H. SMITH: The Fractionation of Polyethylene .. 341
C. S. CHADWICK and S. M. NEALE: Isopiestic Measurements of Electrolyte Activity—Sky Blue FF and Sodium Polymethacrylate 355
B. LIONEL FUNT and EDWARD COLLINS: Formation of Block Polymers of Butyl Acrylate with Styrene and Vinyl Pyridine 359
C. W. BUNN, A. J. COBBOLD, and R. P. PALMER: The Fine Structure of Polytetrafluoroethylene 365
R. M. BARRER and J. A. BARRIE: Sorption and Diffusion in Ethyl Cellulose. Part IV. Water in Ethyl Cellulose 377
MAX FRANKEL, JOSEPH RABANI, and ALBERT ZILKHA: Studies on the Low Pressure Polymerization of Ethylene Using Catalysts Containing Lithium Alkyls 387
J. C. BEVINGTON and J. TOOLE: Further Study of the Decomposition of Benzoyl Peroxide in the Presence of Styrene 395
V. E. SHASHOUA and K. E. VAN HOLDE: Graft Copolymers: Synthesis and Characterization 403

LETTERS TO THE EDITORS

W. O. STATTON: Higher Orders of Long-Period X-Ray Diffraction in Polyethylene Fibers 423
A. V. TOBOLSKY, D. J. KELLEY, K. F. O'DRISCOLL, and C. E. ROGERS: Directed Anionic Polymerization 425
MASAKAZU MATSUMOTO, KIYOKAZU IMAI, and YUZIRO KAZUSA: Ultraviolet Spectra of Polyvinyl Alcohol 426
MILTON KERKER: Particle Size in Monodisperse Latex Suspensions by Light Scattering 429
J. W. S. HEARLE: A Fringed Fibril Theory of Structure in Crystalline Polymers 432
DAVID CRAIG, DWAIN DILLER, and E. H. ROWE: The Gases Evolved During Vulcanization 435
JOSEF SCHURZ: Discoloration Effects in Acrylonitrile Polymers .. 438
W. L. HAWKINS, V. L. LANZA, B. B. LOEFFLER, W. MATREYEK, and F. H. WINSLOW: New Thermal Antioxidants for Polyethylene 439
W. COOPER and M. FIELDEN: Graft Polymerization in Emulsion Using Visible and Ultraviolet Light 442
DANIEL S. TRIFAN and JOSEPH F. TERENZI: Extents of Hydrogen Bonding in Polyamides and Polyurethanes 443
W. SIMPSON and T. HOLT: The Effect of Catalyst on Physical Properties of Polyallyl Esters 445
C. B. MURPHY, J. A. PALM, C. D. DOYLE, and E. M. CURTISS: Differential Thermal Analysis of Resins 447
J. FURUKAWA, T. TSURUTA, T. SAEGUSA, A. ONISHI, A. KAWASAKI, and T. FUENO: A New Catalyst for Stereospecific Polymerization of Diolefins 450
SHOICHI SAKAJIRI: The Transition of Polyethylene Terephthalate Fiber Birefringence 452
C. B. MURPHY, J. A. PALM, C. D. DOYLE, and E. M. CURTISS: Differential Thermal Analysis of Resins II 453

G. E. Hibberd and A. E. Alexander: Monolayers of Isotactic Polypropylene Oxide 455
Ryuichi Nakane: Spherulite Growth of High Density Polyethylene 456
G. H. Peterson: Sorption of Water by Vinyl Polymers 458
Tatsuo Ooi: Light Scattering from Multi-Component Systems .. 459
G. V. Schulz und H. Craubner: Über die Abhängigkeit des zweiten Virialkoeffizienten vom Molekulargewicht 462
Edward R. Thornton, V. Stannett, and M. Szwarc: The Permeation of Vapors and Liquids through Polymer Films 465
A. K. Ingberman and R. K. Walton: Low Toxicity Aliphatic Amines as Crosslinking Agents for Polyepoxy Resins 468
John D. Hoffman and James J. Weeks: The Specific Volume and Degree of Crystallinity of Poly-(chlorotrifluoroethylene) ... 472
W. I. Bengough: Velocity Coefficients for the Polymerization of Acrylonitrile 475
Akira Miyake: On the Theory of Nuclear Magnetic Resonance in Polymers 476

Issue No. 118, April

D. W. Levi, P. C. Scherer, W. L. Hunter, and K. Washimi: Solvation of Polyvinyl Alcohol in Solvent-Nonsolvent Mixtures. 481
Alio J. Buselli, Martin K. Lindemann, and Charles E. Blades: A Study of Chain Transfer in Homologous Vinyl Esters 485
M. A. K. Mostafa: Degradation of Addition Polymers by Ultrasonic Waves. III. Experimental 499
M. A. K. Mostafa: Degradation of Addition Polymers by Ultrasonic Waves. IV. The Effect of Ultrasonic Intensity 519
B. Baum and L. H. Wartman. Structure and Mechanism of Dehydrochlorination of Polyvinyl Chloride 537
Hiroshi Fujita and Akira Kishimoto. Diffusion-Controlled Stress Relaxation in Polymers. II. Stress Relaxation in Swollen Polymers 547
Akira Kishimoto and Hiroshi Fujita. Diffusion-Controlled Stress Relaxation in Polymers. III. Stress Relaxation in a Swelling Polymer 569
C. Mussa I.V. An Evaluation of Molecular Weight Distribution in High Pressure Polyethylene 587
P. Dreyfuss and N. T. Notley. Polymerization of *p*-Isopropenylstyrene 611

LETTERS TO THE EDITORS

C. R. Lindegren and M. I. Kohan. Control of Spherulitic Texture in Nylon 66 615
Atsuo Nishioka, Moritaka Tajima, and Masakazu Owaki: Melting Fracture and Crystallization of Gamma Irradiated Polytetrafluoroethylene Resin 617
W. P. Cox and E. H. Merz: Correlation of Dynamic and Steady Flow Viscosities 619
V. L. Lanza and D. B. Herrmann: The Density Dependence of the Dielectric Constant of Polyethylene 622
A. N. Gent and A. G. Thomas: Forms for the Stored (Strain) Energy Function for Vulcanized Rubber 625

Cooper, W.: Ionic Interchange Reactions with Metal Salts of Copolymers from Butadiene and Unsaturated Acids 628
H. Brunner, A. L. L. Palluel, and D. J. Walbridge: The Preparation and Structure of Linear Polymers from Di-isopropenylbenzenes 629
I. L. Hopkins: Stress Relaxation or Creep of Linear Viscoelastic Substances under Varying Temperature 631
F. Rybnikář: Glass Transition of Nylon 6 and Nylon 66 633
P. W. Jensen: The Determination of Apparent Second-Order Transition Temperatures of Polymers 635
R. Hart and D. Timmerman: New Polyampholytes: The Polysulfobetaines 638
Nobuyuki Ashikari: Polymerization of Vinyl Compounds with Alkylboron Derivatives 641
G. M. Burnett: Rate Maxima in Copolymerization Processes ... 642
H. G. Higgins: The Degradation of Cellulose in Air at 250°C. as Shown by Infrared Spectroscopic Examination 645
H.-G. Elias und T. A. Ritscher: Ein einfaches 2-Kammer-Glasosmometer mit Glasmembran 648
E. M. Bevilacqua: Efficiency of TMTD Vulcanization 651
Kazuyoshi Matsumae, Muneo Watanabe, Atsuo Nishioka, and Torao Ichimiya: Viscosity and Elasticity of Gamma-Irradiated Polytetrafluoroethylene Resin Above the Melting Point. 653
G. M. Burnett and H. R. Gersmann: Interaction of Radicals Derived from Methyl Methacrylate and Vinyl Acetate 655

Author Index, Volume XXVIII 659

Subject Index, Volume XXVIII 662